

2019 WATER QUALITY REPORT

ANNUAL CONSUMER CONFIDENCE REPORT

ABOUT THE WAUWATOSA WATER UTILITY

The U.S. Environmental Protection Agency requires water utilities provide their customers a Consumer Confidence Report annually. This information is designed to educate our customers about the source of their water supply, the water treatment process and the extensive testing to ensure water quality before the water enters a property in Wauwatosa.

The Wauwatosa Water Department's goal is to provide our customers with an ample amount of high quality water at a fair value for public health, sanitation and fire protection purposes through continual evaluations of utility assets, effective preventative maintenance programs and efficient daily operations.

Originally established in 1897, the Wauwatosa Water Utility used groundwater as the source of water supply. In 1963, through a purchase agreement with the Milwaukee Water Works (MWW), the Water Utility started to deliver treated Lake Michigan water to our customers.

MWW uses a multiple barrier approach to remove contaminants. The MWW tests source and treated distribution water for over 500 contaminants while only 91 are currently regulated by the EPA. Detailed water quality information is available at the Milwaukee Water Works website, http://city.milwaukee.gov/water#.WqqSoE2Wypo.

Their monitoring is done to ensure safe water and to meet future regulations. Milwaukee's drinking water meets or exceeds all state and federal health standards. MWW Consumer Confidence Report starts on the second half of this document.

During 2019, the Wauwatosa Water Utility pumped an average of 4.14 million gallons of water per day for residential, commercial and industrial use. The utility submitted 648 water samples to the Wisconsin State Laboratory of Hygiene for bacterial analysis last year. Also, the utility's responsibilities also include maintaining over 204 miles of water main, 2,236 fire hydrants, 5,588 distribution valves and 15,528 water meters in accordance with regulatory standards established by the United States Environmental Protection Agency, Wisconsin Department of Natural Resources, and the Public Service Commission of Wisconsin.

WATER SYSTEM INFORMATION

If you have any questions about this report or the Wauwatosa Water Utility, please call Adam Florin, Water Superintendent, 414-831-0805.

Common Council public meetings are held 7:30 PM in the Common Council chambers at City Hall, 7725 W. North Avenue, on the first and third Tuesdays of the month. Council's sub-committee, Board of Public Works, and the Wauwatosa Water Utility budget meetings vary in schedules. Please contact the City Clerk at 414-479-8917 for a schedule of the meetings or visit our website at www.wauwatosa.net.

SOURCE OF WAUWATOSA'S DRINKING WATER

The source of Wauwatosa's drinking water is Lake Michigan, a surface water source. As water flows through rivers and lakes and over land surfaces, naturally occurring substances may be dissolved in the water. The substances are called contaminants. Surface water sources may be highly susceptible to contaminants. Surface water is also affected by animal and human activities. A Wisconsin DNR Source Water Assessment for Milwaukee is available on the Internet: http://city.milwaukee.gov/water/WaterQuality#.WqqZEE2Wypo. Contaminants that may be present in source water include microbial contaminants, such as viruses, protozoa and bacteria; inorganic contaminants such as salts and metals; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. To ensure that tap water is safe to drink, the EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate the water poses a health risk. Learn more about contaminants and potential health effects by calling the EPA's toll free Safe Drinking Water Hotline, 1-800-426-4791.

HEALTH PRECAUTIONS

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking tap water from their health care providers. EPA/CDC (Centers for Disease Control) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791, and the CDC at https://www.cdc.gov/parasites/crypto/index.html.

LEAD AND COPPER

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Infants and children who drink water containing lead in excess of the action level could experience delays in their physical or mental development and show slight deficits in attention span and learning abilities. Adults who drink this water over many years could develop kidney problems or high blood pressure. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Wauwatosa Water Utility is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested by a state certified laboratory. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline, (800) 426-4791 or at www.epa.gov/safewater/lead. Listed below are the test results for the EPA mandated 2017 Lead and Copper sampling period.

Inorganic Contaminants

Contaminant (Units)	Action Level	MCLG	90 th Percentile Level Found	# of Results	Sample Date (if prior to 2019)	Violation	Typical Source of Contaminants
							Corrosion of household
				0 of 30 results			plumbing systems;
				were above			Erosion of natural
				the action			deposits; Leaching from
Copper (ppm)	AL=1.3	1.3	0.1200	level.	6/20/2017	No	wood preservatives
				2 of 30 results			Corrosion of household
				were above			plumbing systems;
				the action			Erosion of natural
Lead (ppb)	AL=15	0	4.50	level.	6/9/2017	No	deposits

CRYPTOSPORIDIUM

Cryptosporidium is a microscopic protozoan that when ingested, can result in diarrhea, fever, and other gastrointestinal symptoms. The Milwaukee Water Works and the Milwaukee Health Department consider Cryptosporidium detection a priority, and since 1993, have continued to test untreated and treated water for Cryptosporidium. The organism is found in many surface water sources (lakes, rivers, streams) and comes from human and animal wastes in the watershed. The risk of Cryptosporidium from drinking water in Milwaukee has been reduced to extremely low levels by an effective treatment combination including ozone disinfection, coagulation, sedimentation, biologically active filtration and chloramine disinfection.

The City of Milwaukee Health Department and the Milwaukee Water Works have prepared a brochure based on EPA and CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium*. Copies of this brochure are available from the Milwaukee Water Works Customer Service Center, (414) 286-2830. Or, view a copy in English or Spanish at http://city.milwaukee.gov/water/customer/FAQs/qualityandhealth/Compromised-immune-systems-information.htm#.WqqcUE2Wypo.

INFORMATION ON MONITORING FOR CRYPTOSPORIDIUM, RADON, AND OTHER CONTAMINANTS (IF DETECTED)

Cryptosporidium was not detected in Lake Michigan source water or treated Milwaukee drinking water in 2019.

Wauwatosa's water supplier, Milwaukee Water Works, is recognized as a national leader in providing safe, high-quality drinking water that complies with all state and federal drinking water standards. In addition, MWW is known for its extensive water quality monitoring program that goes well above and beyond basic requirements. The monitoring and screening program includes organisms and substances that are not yet regulated, but considered of emerging concern and/or under study for possible effects on public health.

UNREGULATED CONTAMINANTS

Unregulated contaminants are those for which the EPA has not established drinking water standards. The purpose of monitoring is to assist the EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted. The list of samples below were tested during 2014.

Contaminant	Median Value (ug/L)	Range (ug/L)
bromomethane	0.2	0.2
chlorate	61.92	26.46 - 133.35
chromium	0.24	0.22 - 0.27
chromium-6	0.18	0.15 - 0.22
molybdenum	1.00	1.00
strontium	113.21	112.54 - 115.95
vanadium	0.26	0.24 - 0.28
Bromochloromethane (12/4/2013)	0.22	0.22

FOURTH UNREGULATED CONTAMINANTS MONITORING RULE (UCMR-4)

Unregulated contaminants are those for which the EPA has not established drinking water standards. The purpose of monitoring is to assist the EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted. The list of samples below were tested during 2019.

ENTRY POINT:

Contaminant	Average (ug/L)	Range (ug/L)
Alpha-Hexachlorocyclohexane	ND	ND
1-Butanol	ND	ND
Butylated Hydroxyanisole	ND	ND
Chlorpyrifos	ND	ND
Dimethipin	ND	ND
Ethoprop	ND	ND
Germanium	ND	ND
Manganese	0.48	ND – 0.52
2-Methoxyethanol	ND	ND
Oxyfluorfen	ND	ND
Profenofos	ND	ND
2-Propen-1-ol	ND	ND
Quinoline	ND	ND
Tebuconazole	ND	ND
o-Toluidine	ND	ND
Total Permethrin (cis & trans)	ND	ND
Tribufos	ND	ND

DISTRIBUTION SYSTEM:

Contaminant	Average (ug/L)	Range (ug/L)
HAA5	2.75	1.3 – 5.0
HAA6Br	2.51	1.2 – 4.8
HAA9	4.73	2.5 – 7.8

AL = Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

ND = Not Detected

ppb = parts per billion or micrograms per liter (ug/L)

ppm = parts per million or milligrams per liter (mg/L)

INFORMATION FOR PERSONS WITH COMPROMISED IMMUNE SYSTEM

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons, such as persons undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers.

NOTICE TO PARENTS OF INFANTS SIX MONTHS OF AGE OR YOUNGER

According to the CDC, the proper amount of fluoride from infancy and at all ages throughout life helps prevent and control tooth decay (cavities). Therefore, the Milwaukee Water Works, following public health recommendations, maintains a level of fluoride in our drinking water that is both safe and effective. Per Common Council File No. 120187 adopted on July 24, 2012, we are required to include the following advisory regarding fluoride and young infants in our annual water quality reports and on our website.

COMPLIANCE WITH OTHER DRINKING WATER REGULATIONS

The Wauwatosa Water Utility and Milwaukee Water Works did not have any MCL exceedances, monitoring or reporting violations of the Safe Drinking Water Act in 2019.

REQUIRED EDUCATION INFORMATION

As water flows through rivers and lakes and over land surfaces, naturally occurring substances may be dissolved in the water that reaches Lake Michigan. These substances are referred to as contaminants. Surface water sources may be highly susceptible to contaminants. Surface water is also affected by animal and human activities. Read the DNR Source Water Assessment for Milwaukee at http://city.milwaukee.gov/lmageLibrary/Groups/WaterWorks/files/milwaukee.pdf. Contaminants that may be present in source water include microbial contaminants such as viruses, protozoa and bacteria; inorganic contaminants such as salts and metals, pesticides and herbicides, organic chemical contaminants, and radioactive contaminants.

To ensure that tap water is safe to drink, the EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline, (800) 426-4791.

The American Academy of Pediatrics recommends exclusive breastfeeding for the first six months of a child's life, followed by continued breastfeeding as complementary foods are introduced, for optimal short- and long-term health advantages. Go to http://pediatrics.aappublications.org/content/129/3/e827 for more information.

As of August 31, 2012, Wauwatosa Water Utility water is fluoridated at a level not to exceed 0.7 mg/L. According to the CDC, for infants up to six months of age, if tap water is fluoridated or has substantial natural fluoride (0.7 mg/L or higher) and is being used to dilute infant formula, a parent may consider using a low-fluoride alternative water source. Bottled water known to be low in fluoride is labeled as purified, deionized, demineralized, distilled, or prepared by reverse osmosis. Ready-to-feed (no-mix) infant formula typically has little fluoride and may be preferable at least some of the time. If breastfeeding is not possible, parents should consult a pediatrician about an appropriate infant formula option. Parents should be aware that there may be an increased chance of mild dental fluorosis if the child is exclusively consuming infant formula reconstituted with fluoridated water. Dental fluorosis is a term that covers a range of visible changes to the enamel surface of the tooth. Go to https://www.cdc.gov/fluoridation/faqs/infant-formula.html for more information on dental fluorosis and the use of fluoridated drinking water in infant formula.

DETECTED CONTAMINANTS

The table below shows Disinfection Byproduct results which is a regulated substance that was detected in water quality testing in 2019. All are below levels allowed by state and federal laws. The table contains the name of each substance, the highest level allowed by regulation (MCL), the ideal goals for public health (MCLG), the amount detected and the usual sources of such contamination. The presence of a substance in drinking water does not necessarily indicate the water poses a health risk. Certain quantities of some substances are essential to good health, but excessive quantities can be hazardous. Listed below are the test results for Wauwatosa Municipal purchased water during 2019.

Disinfection Byproducts

Contaminant (Units)	Site	MCL	MCLG	Level Found	Range	Sample Date (if prior to 2019)	Violation	Typical Source of Contaminant
HAA5 (ppb)	D-3	60	60	4	3-3		No	By-product of drinking water chlorination
HAA5 (ppb)	D-4	60	60	3	2-3		No	By-product of drinking water chlorination
HAA5 (ppb)	D-9	60	60	3	2-4		No	By-product of drinking water chlorination
HAA5 (ppb)	DBP-1	60	60	4	3-4		No	By-product of drinking water chlorination
ТТНМ (ppb)	D-3	80	0	9.1	4.4-6.1		No	By-product of drinking water chlorination
ТТНМ (ppb)	D-4	80	0	8.9	5.0-5.9		No	By-product of drinking water chlorination
ТТНМ (ppb)	D-9	80	0	8.6	4.3-7.6		No	By-product of drinking water chlorination
ТТНМ (ppb)	DBP-1	80	0	7.4	4.0-8.9		No	By-product of drinking water chlorination

Contact Your Wauwatosa Water Department					
Customer Service:	Monday - Friday 8:00 a.m. to 4:30 p.m.				
Business Office Phone:	s Office Phone: (414) 479-8963				
Fax:	(414) 479-3588				
24 Hour Water Emergency:	(414) 471-8963, ext. 1				
Website:	www.wauwatosa.net/water				
E-mail:	water@wauwatosa.net				

Milwaukee Water Works

2019 Consumer Confidence Report

2019 Reporte de Confianza del Consumidor

The U.S. Environmental Protection Agency (EPA) and Wisconsin Department of Natural Resources (DNR) require drinking water utilities to provide an annual Consumer Confidence Report to help consumers understand where their drinking water comes from, so they can make informed decisions about their health and protection of the environment. In this report, you will find:

- Information about the source of your drinking water
- The treatment process that ensures the highest quality water
- Results of 2019 water quality testing and compliance with water quality laws and standards
- Additional educational information and public health announcements

Visit https://Milwaukee.gov/water for more information.



Great Lakes Basin Boundary Lake Michigan Milwaukee MWW Retail Custo

Milwaukee Water Works

The City of Milwaukee-owned public utility provides pure, safe water to approximately 867,000 people in Milwaukee and across 16 communities:

Wholesale Customers: Brown Deer, Butler, Greendale, Menomonee Falls, Mequon, Milwaukee County Grounds, New Berlin, Shorewood, Thiensville, Wauwatosa, and West Allis.

Retail Customers: Greenfield, Hales Corners, a portion of Franklin, St. Francis, and West Milwaukee.

Participate in decisions regarding your water

Attend City of Milwaukee Common Council Public Works Committee meetings, which occur regularly each month in Milwaukee City Hall, Room 301B, 200 East Wells Street, Milwaukee, WI 53202. You may also attend City of Milwaukee Common Council meetings, which meet in the Milwaukee City Hall, 3rd Floor Common Council Chambers, 200 East Wells Street, Milwaukee, WI 53202. Common Council meeting dates vary. Please contact the City Clerk for the schedule at (414)286-2221, or visit https://Milwaukee.gov/cityclerk/ PublicRecords/Agendas.htm.

Important Information

This report contains important information about your drinking water. Translate it, or speak with someone who Tradúzcalo o hable con alguien que lo understands it.

Información Importante

Este informe contiene información muy importante sobre su agua de beber. entienda bien.

Lug tseem ceeb rua cov siv dlej kws has lug Moob

Ntawm nuav yog cov lug tseem ceeb gha txug kev haus dlej nyob nroog Milwaukee. Yog mej nyeem tsi tau cov lug nuav, thov lwm tug txhais rua mej.



Braille

This material is available in alternative formats for individuals with disabilities upon request. Please contact the City of Milwaukee ADA Coordinator via phone at (414) 286-3475 or email ADACoordinator@milwaukee.gov. Please provide a 72-hour advance notice for large print and seven days for Braille documents.

Large Print

Milwaukee's Source Water Comes from Lake Michigan

Milwaukee's drinking water comes from Lake Michigan, a surface water source. The most recent DNR Source Water Assessment for Milwaukee is available online under "Resources" at https://Milwaukee.gov/water/WaterQuality. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants, or substances, that may be present in source water include:

- Microbial contaminants, such as viruses, protozoa, and bacteria, may come from leaky sewer pipes, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and also


- come from gas stations, urban stormwater runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's safe drinking water hotline (800-426-4791) or at:

https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulations

In order to ensure that tap water is safe, the EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. The Milwaukee Water Works maintains a nationally recognized water monitoring program to assure all treated water meets or exceeds local, state, and federal regulations.

Milwaukee Water Works Drinking Water Treatment Process



- (1) **Ozone disinfection**: Ozone gas is bubbled through the incoming lake water. Ozone destroys disease-causing microorganisms including *Giardia* and *Cryptosporidium*, controls taste and odor, and reduces the formation of chlorinated disinfection byproducts.
- (2) Coagulation and Flocculation: Aluminum sulfate is added to the water to neutralize the charge on microscopic particles. The water is then gently mixed to encourage suspended particles to stick together to form "floc."
- (3) **Sedimentation**: Sedimentation is the process in which floc settles out and is removed from the water.
- (4) **Biologically Active Filtration**: The water is slowly filtered through 24" of anthracite coal and 12" of crushed sand to remove very small particles.
- (5) **Chlorine Disinfection**: After filtration, chlorine is added as a secondary disinfectant to provide extra protection from potentially harmful microorganisms.
- (6) **Fluoridation**: Fluoride, when administered at low levels, is proven to help prevent tooth decay.

- (7) **Clearwell Storage**: Treated water is stored in deep underground tanks and pumped as needed through the distribution.
- (8) **Corrosion Control**: A phosphorus compound is added to help control corrosion of pipes. This helps prevent lead and copper from leaching from plumbing into water.
- (9) **Chloramine Protection**: Ammonia changes the chlorine to chloramine, a disinfectant that maintains bacteriological protection in the distribution system.

Reading the Water Quality Tables

The following tables show regulated and unregulated contaminants, or substances, detected in Milwaukee's drinking water in 2019. It also includes all substances tested for in the mandatory EPA monitoring program, most recently the Fourth Unregulated Contaminant Monitoring Rule (UCMR-4). All contaminants detected continue to meet or exceed local, state, and federal drinking water standards for health and safety. The tables contain the name of each substance, the highest level allowed by regulation (maximum contaminant level, MCL), the ideal goals for public health (MCLG), the amount detected, and the usual sources of such contamination. The presence of a substance in drinking water does not necessarily indicate the water poses a health risk. Certain quantities of some substances are essential for good health, but excessive quantities can be hazardous.

Definitions					
Action Level (AL)	The concentration of a contaminant which, if exceeded, triggers treatment or other requirement that a water system must follow. Action levels are reported at the 90th percentile for homes at greatest risk.				
Health Advisory (HA)	An estimate of acceptable drinking water levels for a chemical substance based on health effects information; a health advisory is not a legally enforceable federal standard, but serves as technical guidance to assist federal, state, and local officials.				
Maximum contaminant level (MCL)	The highest level of a contaminant allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.				
Maximum contaminant level goal (MCLG)	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.				
Maximum residual disinfectant level (MRDL)	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for the control of microbial contaminants.				
Maximum residual disinfectant level goal (MRDLG)	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.				
Treatment technique (TT)	A required process intended to reduce the level of a contaminant in drinking water.				
Turbidity	Turbidity has no health effects. However, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms may include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea, and associated headaches.				
Unit abbreviations					
<	"less than" or not detected				
-log[H [†]]	pH measurements are expressed as the negative base 10 logarithm of the hydrogen ion concentration				
NA	not applicable				
NR	not regulated				
NTU	nephelometric turbidity unit (a unit to measure turbidity)				
ppb	parts per billion (microgram per liter)				
ppm	parts per million (milligram per liter)				
ppq	parts per quadrillion (picograms per liter)				
ppt	parts per trillion (nanogram per liter)				
pCi/L	picocuries per liter: a measure of radioactivity				
RAA	running annual average: the average of four quarterly samples collected in one year				

Primary and Secondary Drinking Water Standards

The EPA has National Primary Drinking Water Regulations that set water quality standards for contaminants, or substances, in public drinking water. These standards are referred to as maximum contaminant levels (MCLs), which are established to protect public health, and are legally enforceable above the allowed MCL. The EPA has also established National Secondary Drinking Water Regulations that set non-mandatory standards for potential water-quality substances. These secondary substances are not currently considered a risk to human health, but instead, act as guidelines for drinking water aesthetics such as taste, odor, and color.

Primary Substances Detected	Ideal Goal (MCLG)	Highest Level Allowed (MCL)	Median Value	Range	Meets Standard	Typical Source of Substance
Barium (ppm)	2	2	0.02	0.02	Yes	Drilling waste discharge; metal refineries discharge; erosion of natural deposits
Chlorine, Total (ppm)	4 (MRDLG)	4 (MRDL)	1.52	1.07 - 1.86	Yes	Water additive used to control microbes
Copper (ppm)	1.3 (AL)	1.3 (AL)	0.0014	< 0.001 - 0.0014	Yes	Corrosion of household plumbing systems; erosion of natural deposits
Disinfection By-Products						
Bromate (ppb)	0	10 RAA	3.1	1.1 - 6.0	Yes	By-product of drinking water disinfection
Chlorite (ppm)	0.8	1	< 0.002	< 0.002 - 0.068	Yes	By-product of drinking water disinfection
Haloacetic Acids [HAA9] (ppb)	NA	60	2.5	< 0.5 - 6.0	Yes	Byproduct of drinking water disinfection
Total Trihalomethanes [TTHM] (ppb)	NA	80	4.1	2.1 - 9.9	Yes	Byproduct of drinking water disinfection
Fluoride (ppm)	4.0	4.0	0.55	0.03 - 0.66	Yes	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Heterotrophic plate count	NA	TT	Met standard	Met standard	Yes	Naturally present in the environment; runoff from fertilizer use; leeching from septic tanks sewage; erosion of natural deposits
Nitrate, as N (ppm)	10	10	0.33	0.29 - 0.41	Yes	Runoff from fertilizer use; leeching from septic tanks sewage; erosion of natural deposits
Nitrite, as N (ppm)	NA	1	0.002	0.001 - 0.007	Yes	Runoff from fertilizer use; leeching from septic tanks sewage; erosion of natural deposits
Radionuclides						
Gross alpha (pCi/L) [excluding Ra and U]	NA	15	1.86	0.30 - 3.42	Yes	Erosion of natural deposits
Gross alpha (pCi/L) [including Ra and U]	NA	15	2.03	0.46 - 3.60	Yes	Erosion of natural deposits
Gross beta (pCi/L)	NA	50	3.90	3.70 - 4.00	Yes	Decay of natural and manmade deposits
Radium (pCi/L) [Ra 226 + Ra 228]	NA	5	1.20	0.89 - 1.51	Yes	Erosion of natural deposits
Turbidity (NTU)	NA	< 0.300 95% of time	0.020	0 - 0.940 (1 day max)	Yes	Soil runoff

Secondary Substances Detected	Highest Level Allowed (MCL)	Median Value	Highest Level Detected	Meets Standard	Typical Source of Substance
Aluminum (ppm)	0.05-0.20	0.082	0.073 - 0.091	Yes	Water treatment additive, natural deposits
Chloride (ppm)	250	14.9	13.6 - 25.6	Yes	Natural deposits and road salts
Odor	3	1	1	Yes	Naturally present in the environment
pH (-log [H ⁺])	6.5 - 8.5	7.64	7.27 - 8.01	Yes	Naturally present in the environment
Sulfate (ppm)	250	26	26	Yes	Natural deposits
Total Dissolved Solids (ppm)	500	181	170 - 213	Yes	Aggregate of dissolved minerals

Monitoring for *Cryptosporidium* and Other Contaminants

Milwaukee Water Works maintains an extensive, nationally recognized water quality monitoring program. The utility tests for approximately 500 substances to ensure safe water, increase understanding of how substances affect public health, and meet future regulations. Below are unregulated substances that were detected in treated water in 2019. A full list of undetected substances can be found under "Resources" at https://Milwaukee.gov/water/WaterQuality.

<u>Cryptosporidium</u> was not detected in any of the source water or finished drinking water samples collected in 2019. Additionally, no *Giardia*, Reovirus, or Enterovirus were detected in MWW drinking water in 2019.

Acesulfame-K (ppb) 0.05 - 0.06 Artificial sweetener Acetaldehyde (ppb) < 5 - 15 Byproduct of drinking water disinfection Acetone (ppb) < 2.0 - 2.3 Manufacturing; solvent Aldehydes, Total (ppb) < 5 - 15 Byproduct of drinking water disinfection Ammonia, as N (ppm) 0.12 - 0.23 Disinfection with chloramines; wastes; fertilizers and natural processes Boron (ppb) 22 Naturally occurring; borax mining and refining; boric acid manufacturing Bromuch loroacetonitrile (ppb) 12 - 28 Naturally occurring Bromochloroacetonitrile (ppb) 31 - 272 Byproduct of drinking water disinfection Calcium (ppm) 33 Naturally occurring Chlorate (ppb) 31 - 272 Byproduct of drinking water disinfection Chromium, hexavalent (ppb) 0.17 - 0.21 Natural deposits and manufacturing Cotinine (ppt) < 1 - 1 Metabolic byproduct of tobacco smoking Dibromoacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection Dichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection Dichloropacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection Dichloropacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection Dichloropacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection Lithium (ppb) 2.2 Naturally occurring Magnesium (ppm) 11 Naturally occurring Magnesium (ppm) 11 Naturally occurring Perfluorooctane sulfonate (ppb) 0.12 - 0.14 Naturally occurring manufacturing of rocket fuel; pesticides Perfluorooctane sulfonate (ppt) (2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perfluorooctane sulfonate (ppt) (2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorooctanoic acid (PFDA) (ppt) (2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid (PFDA) (ppt) (2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid (PFDA) (ppt) (2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid (PFDA) (pp			
Acetaldehyde (ppb)	Substance Detected	Range of Results	Typical Source of Substance
Acteone (ppb)	Acesulfame-K (ppb)	0.05 - 0.06	Artificial sweetener
Aldehydes, Total (ppb)	Acetaldehyde (ppb)	< 5 - 15	Byproduct of drinking water disinfection
Ammonia, as N (ppm) 0.12 - 0.23 Disinfection with chloramines; wastes; fertilizers and natural processes Boron (ppb) 22 Naturally occurring; borax mining and refining; boric acid manufacturing Bromide (ppb) 12 - 28 Naturally occurring Bromochloreacetonitrile (ppb) 4.0.4 - 0.8 Byproduct of drinking water disinfection Calcium (ppm) 33 Naturally occurring Calcium (ppm) 31 - 272 Byproduct of drinking water disinfection Chromium, hexavalent (ppb) 0.17 - 0.21 Natural deposits and manufacturing Cotinine (ppt) 4.1 Metabolic byproduct of tobacco smoking Dibromoacetonitrile (ppb) 4.0.4 - 0.8 Byproduct of drinking water disinfection Dibridoracetonitrile (ppb) 4.0.5 - 0.5 Byproduct of drinking water disinfection Dichloroacetonitrile (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Dichloroacetonitrile (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water disinfection Unithium (ppb) 4.0.5 - 1.2 Byproduct of drinking water treatment Unithium (ppb) 4.0.5 - 0.7 Ayrull occurring Unithium (ppb) 4.0.5 - 0.7 Ayru	Acetone (ppb)	< 2.0 - 2.3	Manufacturing; solvent
Boron (ppb) 22 Naturally occurring; borax mining and refining; boric acid manufacturing Bromide (ppb) 12 - 28 Naturally occurring Bromochloroacetonitrile (ppb) < 0.4 - 0.8 Byproduct of drinking water disinfection Calcium (ppm) 33 Naturally occurring Chlorate (ppb) 31 - 272 Byproduct of drinking water disinfection Chlorate (ppb) 31 - 272 Byproduct of drinking water disinfection Chromium, hexavalent (ppb) 0.17 - 0.21 Natural deposits and manufacturing Cottinine (ppt) < 1 - 1 Metabolic byproduct of tobacco smoking Dibromoacetonitrile (ppb) < 0.4 - 0.8 Byproduct of drinking water disinfection Dichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection Dichloroacetonitrile (ppb) < 0.5 - 1.2 Byproduct of drinking water disinfection Lithium (ppb) 2.2 Naturally occurring Magnesium (ppm) 11 Naturally occurring N-Nitrosodimethylamine (NDMA)(ppb) < 2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perflorohexanoic acid (PFHxA) (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid (PFDA) (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid (PFOA) (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Silica (ppm) 1.7 - 1.7 Naturally occurring	Aldehydes, Total (ppb)	< 5 - 15	Byproduct of drinking water disinfection
Bromide (ppb) 12 - 28 Naturally occurring Bromochloroacetonitrile (ppb) < 0.4 - 0.8 Byproduct of drinking water disinfection Calcium (ppm) 33 Naturally occurring Chlorate (ppb) 31 - 272 Byproduct of drinking water disinfection Chromium, hexavalent (ppb) 0.17 - 0.21 Natural deposits and manufacturing Cotinine (ppt) < 1 - 1 Metabolic byproduct of trinking water disinfection Dibromoacetonitrile (ppb) < 0.4 - 0.8 Byproduct of drinking water disinfection Dichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection Dichloroacetonitrile (ppb) < 0.5 - 1.2 Byproduct of drinking water disinfection Ulthium (ppb) 2.2 Naturally occurring Magnesium (ppm) 11 Naturally occurring N-Nitrosodimethylamine (NDMA)(ppb) < 2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perfluoroactane sulfonate (PFOS) (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroactanoic acid (PFHXA) (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroactanoic acid (PFOA) (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroactanoic acid (PFOA) (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroactanoic acid (PFOA) (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Phosphate as PO4 (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Potassium (ppm) 1.7 - 1.9 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Strontium (ppb) 1.0 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 60 Measure of solid materials in water	Ammonia, as N (ppm)	0.12 - 0.23	Disinfection with chloramines; wastes; fertilizers and natural processes
Bromochloroacetonitrile (ppb)	Boron (ppb)	22	Naturally occurring; borax mining and refining; boric acid manufacturing
Calcium (ppm) 33 Naturally occurring Chlorate (ppb) 31 - 272 Byproduct of drinking water disinfection Chromium, hexavalent (ppb) 0.17 - 0.21 Natural deposits and manufacturing Cotinine (ppt) < 1 - 1 Metabolic byproduct of tobacco smoking Dibromoacetonitrile (ppb) < 0.4 - 0.8 Byproduct of drinking water disinfection Dichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection Dichloropropanone (ppb) < 0.5 - 1.2 Byproduct of drinking water disinfection Lithium (ppb) 2.2 Naturally occurring Magnesium (ppm) 11 Naturally occurring N-Nitrosodimethylamine (NDMA)(ppb) < 2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perflorohexanoic acid [PFHxA] (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctane sulfonate [PFOS] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppb) 1.1 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 1.20 Natural deposits Sucralose (ppt) 1.27 - 1.75 Naturally present in the environment Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water	Bromide (ppb)	12 - 28	Naturally occurring
Chlorate (ppb) 31 - 272 Byproduct of drinking water disinfection Chromium, hexavalent (ppb) 0.17 - 0.21 Natural deposits and manufacturing Cotinine (ppt) < 1 - 1 Metabolic byproduct of tobacco smoking Dibromoacetonitrile (ppb) < 0.4 - 0.8 Byproduct of drinking water disinfection Dichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection 1,1-Dichloropropanone (ppb) < 0.5 - 1.2 Byproduct of drinking water disinfection Lithium (ppb) 2.2 Naturally occurring Magnesium (ppm) 11 Naturally occurring N-Nitrosodimethylamine (NDMA)(ppb) < 2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perflorohexanoic acid [PFNA] (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing Perfluorocatane sulfonate (PFOS) (ppt) < 2.0 - 2.6 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams o-Phosphate as PO4 (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Silicia (ppm) 1.7 - 1.9 Naturally occurring Silicia (ppm) 1.7 - 1.9 Naturally occurring Socium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Bromochloroacetonitrile (ppb)	< 0.4 - 0.8	Byproduct of drinking water disinfection
Chromium, hexavalent (ppb) 0.17 - 0.21 Natural deposits and manufacturing Cotinine (ppt) < 1 - 1 Metabolic byproduct of tobacco smoking Dibromoacetonitrile (ppb) < 0.4 - 0.8 Byproduct of drinking water disinfection Dichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection 1,1-Dichloropropanone (ppb) < 0.5 - 1.2 Byproduct of drinking water disinfection Lithium (ppb) 2.2 Naturally occurring Magnesium (ppm) 11 Naturally occurring N-Nitrosodimethylamine (NDMA)(ppb) < 2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perflorohexanoic acid [PFHxA] (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing Perfluoroctane sulfonate [PFOS] (ppt) < 2.0 - 2.6 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Pohosphate as PO ₄ (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Rubidium (ppm) 1.4 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 1.7 - 1.9 Naturall deposits and road salt Strontium (ppb) 1.0 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Calcium (ppm)	33	Naturally occurring
Cotinine (ppt) < 1 - 1 Metabolic byproduct of tobacco smoking Dibromoacetonitrile (ppb) < 0.4 - 0.8 Byproduct of drinking water disinfection Dichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection 1,1-Dichloropropanone (ppb) < 0.5 - 1.2 Byproduct of drinking water disinfection Lithium (ppb) 2.2 Naturally occurring Magnesium (ppm) 11 Naturally occurring N-Nitrosodimethylamine (NDMA)(ppb) < 2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perflorohexanoic acid [PFHxA] (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing Perfluorocatanoic acid [PFOS] (ppt) < 2.0 - 2.6 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams o-Phosphate as PO ₄ (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Chlorate (ppb)	31 - 272	Byproduct of drinking water disinfection
Dibromoacetonitrile (ppb)	Chromium, hexavalent (ppb)	0.17 - 0.21	Natural deposits and manufacturing
Dichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection 1,1-Dichloropropanone (ppb) < 0.5 - 1.2 Byproduct of drinking water disinfection Lithium (ppb) 2.2 Naturally occurring Magnesium (ppm) 11 Naturally occurring N-Nitrosodimethylamine (NDMA)(ppb) < 2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perflorohexanoic acid [PFHxA] (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing Perfluoroctane sulfonate [PFOS] (ppt) < 2.0 - 2.6 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.1 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.1 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.1 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.0 Waterproofing; textile manufacturing; used in fire fighting foams Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.0 Waterproofing; textile manufacturing Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.0 Waterproofing; textile manufacturing Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.0 Waterproofing; textile manufacturing Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.0 - 2.0 Waterproofing; textile manufacturing Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.0 - 2.0 Waterproofing; textile manufacturing Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.0 Waterproofing; textile manufacturing Perfluoroctanoic acid [PFOA] (ppt) < 2.0 - 2.0 Waterproofing; textile manu	Cotinine (ppt)	<1-1	Metabolic byproduct of tobacco smoking
1,1-Dichloropropanone (ppb) < 0.5 - 1.2 Byproduct of drinking water disinfection Lithium (ppb) 2.2 Naturally occurring Magnesium (ppm) 11 Naturally occurring N-Nitrosodimethylamine (NDMA)(ppb) < 2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perflorohexanoic acid [PFHxA] (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing Perfluoroctane sulfonate [PFOS] (ppt) < 2.0 - 2.6 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams o-Phosphate as PO ₄ (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Dibromoacetonitrile (ppb)	< 0.4 - 0.8	Byproduct of drinking water disinfection
Lithium (ppb) 2.2 Naturally occurring Magnesium (ppm) 11 Naturally occurring N-Nitrosodimethylamine (NDMA)(ppb) < 2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perflorohexanoic acid [PFHxA] (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing Perfluorocatanoic acid [PFOS] (ppt) < 2.0 - 2.6 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams o-Phosphate as PO ₄ (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Sodium (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Dichloroacetonitrile (ppb)	< 0.5 - 0.5	Byproduct of drinking water disinfection
Magnesium (ppm) 11 Naturally occurring N-Nitrosodimethylamine (NDMA)(ppb) < 2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perflorohexanoic acid [PFHxA] (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing Perfluorooctane sulfonate [PFOS] (ppt) < 2.0 - 2.6 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams o-Phosphate as PO4 (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 1.20 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	1,1-Dichloropropanone (ppb)	< 0.5 - 1.2	Byproduct of drinking water disinfection
N-Nitrosodimethylamine (NDMA)(ppb) < 2.0 - 2.3 Disinfection with chloramines; rocket fuel; pesticides Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perflorohexanoic acid [PFHxA] (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing Perfluorocatanoic acid [PFOS] (ppt) < 2.0 - 2.6 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams o-Phosphate as PO4 (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Lithium (ppb)	2.2	Naturally occurring
Perchlorate (ppb) 0.12 - 0.14 Naturally occurring; manufacturing of rocket fuels, fireworks, munitions Perflorohexanoic acid [PFHxA] (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing Perfluorocctane sulfonate [PFOS] (ppt) < 2.0 - 2.6 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams o-Phosphate as PO ₄ (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Magnesium (ppm)	11	Naturally occurring
Perflorohexanoic acid [PFHxA] (ppt) < 2.0 - 2.2 Waterproofing; textile manufacturing Perfluorocctane sulfonate [PFOS] (ppt) < 2.0 - 2.6 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocctanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams o-Phosphate as PO ₄ (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	N-Nitrosodimethylamine (NDMA)(ppb)	< 2.0 - 2.3	Disinfection with chloramines; rocket fuel; pesticides
Perfluorooctane sulfonate [PFOS] (ppt) < 2.0 - 2.6 Waterproofing; textile manufacturing; used in fire fighting foams Perfluorocatanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams o-Phosphate as PO ₄ (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Perchlorate (ppb)	0.12 - 0.14	Naturally occurring; manufacturing of rocket fuels, fireworks, munitions
Perfluorocatanoic acid [PFOA] (ppt) < 2.0 - 2.3 Waterproofing; textile manufacturing; used in fire fighting foams o-Phosphate as PO ₄ (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Perflorohexanoic acid [PFHxA] (ppt)	< 2.0 - 2.2	Waterproofing; textile manufacturing
o-Phosphate as PO ₄ (ppm) 0.31 - 4.65 Byproduct of drinking water treatment Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb)	Perfluorooctane sulfonate [PFOS] (ppt)	< 2.0 - 2.6	Waterproofing; textile manufacturing; used in fire fighting foams
Phosphorus as P (ppm) 0.59 - 0.74 Naturally occurring Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Perfluorocatanoic acid [PFOA] (ppt)	< 2.0 - 2.3	Waterproofing; textile manufacturing; used in fire fighting foams
Potassium (ppm) 1.4 Naturally occurring Rubidium (ppb) 1.1 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	o-Phosphate as PO ₄ (ppm)	0.31 - 4.65	Byproduct of drinking water treatment
Rubidium (ppb) 1.1 Naturally occurring Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Phosphorus as P (ppm)	0.59 - 0.74	Naturally occurring
Silica (ppm) 1.7 - 1.9 Naturally occurring Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Potassium (ppm)	1.4	Naturally occurring
Sodium (ppm) 9.1 - 10.0 Natural deposits and road salt Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Rubidium (ppb)	1.1	Naturally occurring
Strontium (ppb) 120 Natural deposits Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Silica (ppm)	1.7 - 1.9	Naturally occurring
Sucralose (ppt) 34 - 36 Artificial sweetener Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Sodium (ppm)	9.1 - 10.0	Natural deposits and road salt
Total Organic Carbon (ppm) 1.27 - 1.75 Naturally present in the environment Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Strontium (ppb)	120	Natural deposits
Total Solids (ppm) 160 Measure of solid materials in water Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Sucralose (ppt)	34 - 36	Artificial sweetener
Trichloroacetonitrile (ppb) < 0.5 - 0.5 Byproduct of drinking water disinfection	Total Organic Carbon (ppm)	1.27 - 1.75	Naturally present in the environment
	Total Solids (ppm)	160	Measure of solid materials in water
1.1. Trichloropropagone (pph) 0.5 - 1.6 Puproduct of drinking water disinfection	Trichloroacetonitrile (ppb)	< 0.5 - 0.5	Byproduct of drinking water disinfection
T,T,T-THEIROTOPIOPARIONE (PPD) 0.3 - T.0 BYPIOUUCL OF UTILIKING WATER DISTRIBUTION	1,1,1-Trichloropropanone (ppb)	0.5 - 1.6	Byproduct of drinking water disinfection
Tris(chloropropyl) phosphate (ppb) 0.01 Flame retardant	Tris(chloropropyl) phosphate (ppb)	0.01	Flame retardant

Fourth Unregulated Contaminants Monitoring Rule (UCMR-4)(2018)

The Unregulated Contaminant Monitoring Rule (UCMR) was established by the EPA as part of the Safe Drinking Water Act Amendments of 1996. Every five years, in compliance with the EPA, Milwaukee Water Works collects data on potential contaminants that are not yet regulated but are known, or anticipated, to occur in public water systems. These data help the EPA determine if future regulations are needed for contaminants of concern.

UCMR-4 Assessment Monitoring (2018)	Median Value	Highest Detected	Typical source of substance
alpha-Hexachlorocyclohexane (ppt)	< 0.0100	< 0.0100	Pesticide
1-Butanol (ppb)	< 2.00	< 2.00	Solvent, food additive
Butylated hydroxyanisole (ppt)	< 0.300	< 0.300	Food additive (antioxidant)
Chlorpyrifos (ppt)	< 0.0300	< 0.0300	Organophosphate, insecticide, acaricide, miticide
Dimethipin (ppt)	< 0.200	< 0.200	Herbicide and plant growth regulator
Ethoprop (ppt)	< 0.030	< 0.030	Insecticide
Germanium (ppt)	< 0.300	< 0.300	Naturally occurring element
Manganese (ppt)	< 0.400	0.520	Naturally occurring element
2-Methoxyethanol (ppt)	< 0.400	< 0.400	Synthetic cosmetics, perfumes, fragrances, hair preparations, skin lotions
o-Toluidine (ppq)	< 7.00	< 7.00	Dyes, rubber, pharmaceuticals, pesticide
Oxyfluorfen (ppt)	< 0.500	< 0.500	Herbicide
Permethrin cis & trans (ppt)	< 0.040	< 0.040	Insecticide
Profenofos (ppt)	< 0.300	< 0.300	Insecticide and acaricide
2-Propen-1-ol (ppt)	< 0.500	< 0.500	Flavorings, perfumes
Quinoline (ppt)	< 0.020	< 0.020	Anti-malarial pharmaceutical, flavoring agent
Tebuconazole (ppt)	< 0.200	< 0.200	Fungicide
Tribufos (ppt)	< 0.070	< 0.070	Insecticide, cotton defoliant

UCMR-4 Assessment Monitoring of Cyanotoxins (2018)	Median Value	Highest Detected	Typical source of substance
Anatoxin-a (ppt)	< 30	< 30	Source water
Cylindrospermopsin (ppt)	< 90	< 90	Source water
Total Microcystins & Nodularins (ppb)	< 0.300	< 0.300	Source water

UCMR-4 Assessment Monitoring of Surface Water Indicators (2018)	Median Value	Highest Detected	Typical source of substance
Bromide (ppb)	33.1	35.3	Source water
Total Organic Carbon [TOC] (ppm)	1.825	2.010	Source water

UCMR-4 Assessment Monitoring of Distribution Water (2018)	Median	Highest Detected	Typical source of substance
Bromochloroacetic acid [BCAA] (ppb)	0.862	1.180	Byproduct of drinking water disinfection
Bromodichloroacetic acid [BDCAA] (ppb)	0.762	1.090	Byproduct of drinking water disinfection
Chlorodibromoacetic acid [CDBAA] (ppb)	0.421	0.524	Byproduct of drinking water disinfection
Dibromoacetic acid [DBAA] (ppb)	0.389	0.504	Byproduct of drinking water disinfection
Dichloroacetic acid [DCAA] (ppb)	1.505	2.020	Byproduct of drinking water disinfection
Monobromoacetic acid [MBAA] (ppb)	< 0.300	< 0.300	Byproduct of drinking water disinfection
Monochloroacetic acid [MCAA] (ppb)	< 2.00	< 2.00	Byproduct of drinking water disinfection
Tribromoacetic acid [TBAA] (ppb)	< 2.00	< 2.00	Byproduct of drinking water disinfection
Trichloroacetic acid [TCAA] (ppb)	0.779	1.260	Byproduct of drinking water disinfection
HAA5 Total (ppb)	2.575	3.398	Byproduct of drinking water disinfection
HAA6 Br Total (ppb)	2.325	3.075	Byproduct of drinking water disinfection
HAA9 Total (ppb)	4.523	5.951	Byproduct of drinking water disinfection

Lead and Copper Rule (2017)

In 2017, in compliance with the US EPA and Wisconsin DNR, Milwaukee Water Works completed Lead and Copper Rule (LCR) testing. In order to remain in compliance with EPA regulations, 90th percentile levels must be below 15 ppb for lead and 1300 ppb for copper. Milwaukee Water Works is conducting LCR testing again in 2020.

Lead and Copper (2017)	Action Level	90th percentile	Highest Detected	Number of Sites at Action Level	Number of Sites Exceeding Action Level
Copper (ppb)	1300	46.0	110	0	0
Lead (ppb)	15.0	7.2	130	1	2

Optimal Water Quality Parameters (2017)	Minimum	Mean	Median	Maximum
Alkalinity, Total (ppm)	102	104	103	112
Hardness, Total (ppm)	130	135	140	140
Conductivity (µmhos cm ⁻¹)	310	318	320	320
Chloride (ppm)	14.0	14.9	15.0	16.0
Sulfate (ppm)	25.0	27.7	28.0	30.0
Phosphorus (ppm)	0.53	0.60	0.60	0.71
Calcium (ppm)	34.0	34.8	35.0	37.0
Iron (ppm)	0.02	0.05	0.04	0.10
Magnesium (ppm)	11.0	12.0	12.0	12.0
Aluminum (ppb)	36.0	94.8	82.0	240
Manganese (ppb)	0.14	1.03	0.79	3.30

Lead and Copper Public Safety

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Milwaukee Water Works is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for three minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Additional information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the EPA at https://EPA.gov/safewater/lead.

Guidelines regarding lead

- Occupants of buildings where lead service lines are present should adequately flush water lines after prolonged periods of stagnation to reduce potential lead hazards, but the use of NSF/ANSI Standard 53 certified lead filters is the most thorough means of lead-water safety.
- At-risk populations of women and children living in buildings where lead service lines are present, including women who are pregnant, may become pregnant (woman ages 15-45) or are breastfeeding, and children up to the age of 6, should drink and cook only with water that has been filtered with an NSF/ANSI Standard 53 lead certified filter.
- If using water directly from the faucet (without a filter), only cold water that has been well-flushed for a minimum of three minutes should be used. Not running your water for the recommended length of time may increase your risk of lead exposure.





Other Compliance

Deficiency description: Milwaukee Water Works was notified of the following deficiency on August 6, 2019, "System is not implementing a comprehensive Cross-Connection Control Program," with a scheduled correction date of March 31, 2020.

Actions taken: The Milwaukee Water Works developed a Cross-Connection Control Plan to meet the March 31, 2020 deadline. A cross-connection is any actual or potential physical connection between a drinking water system and a source or system of non-drinkable water or substances. An example is a hose connected to a laundry tub faucet that is submerged in a sink below filled with soapy water. This plan is the result of a two-year redesign of the utility's Cross-Connection Control Program. The program will bring MWW into compliance with NR 810.15 by December 31, 2021 per WDNR order.

Other Educational Information

Cryptosporidium

Cryptosporidium is a microscopic protozoan that, when ingested, can result in diarrhea, fever, and other gastrointestinal symptoms. The Milwaukee Water Works and Milwaukee Health Department consider Cryptosporidium detection a priority, and since 1993, have continued to test Lake Michigan source water and treated water for Cryptosporidium. Cryptosporidium is found in many surface water sources (lakes, rivers, streams) and comes from human and animal wastes in the watershed. The risk of Cryptosporidium infection from drinking water has been reduced to extremely low levels by an effective treatment combination (see page 2), which places Milwaukee Water

Works in the Bin 1 classification (lowest risk) for *Cryptosporidium* treatment requirements set by the DNR.

The Milwaukee Water Works provides a brochure based on EPA and CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium*. Obtain a copy from our Customer Service Center, (414) 286-2830, or at

https://Milwaukee.gov/water/WaterQuality and scroll down to Resource Links, choose "Information for persons with weakened immune systems."

Information for Those with Compromised Immune Systems and/or Vulnerable Populations

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA and Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available at https://CDC.gov/parasites/crypto/audience-immune-compromised.html and at https://CDC.gov/parasites/water.html and from the EPA's safe drinking water hotline at 1-800-426-4791.

Notice to Parents of Infants Six Months of Age or Younger

According to the CDC, the proper amount of fluoride, from infancy and at all ages throughout life, helps prevent and control tooth decay (cavities). Therefore, the Milwaukee Water Works, following public health recommendations, maintains a level of fluoride in our drinking water that is both safe and effective. The following is an advisory regarding fluoride and young infants:

The American Academy of Pediatrics recommends exclusive breastfeeding for the first six months of a child's life, followed by continued breastfeeding as complementary foods are introduced, for optimal short— and long-term health advantages. For more information, visit:

https://pediatrics.aappublications.org/content/129/3/e827.

As of August 31, 2012, Milwaukee water is fluoridated at a

level not to exceed 0.7 mg/L. According to the CDC, for infants up to six months of age, if tap water is fluoridated or has substantial natural fluoride (0.7 mg/L or higher) and is being used to dilute infant formula, a parent may consider using a low-fluoride alternative water source. Bottled water known to be low in fluoride is labeled as purified, deionized, demineralized, distilled, or prepared by reverse osmosis. Ready-to-feed (no-mix) infant formula typically has little fluoride and may be preferable at least some of the time. If breastfeeding is not possible, parents should consult a pediatrician about an appropriate infant formula option. Parents should be aware that there may be an increased chance of mild dental fluorosis if the child is exclusively consuming infant formula reconstituted with fluoridated water. Dental fluorosis is a term that covers a range of visible changes to the enamel surface of the tooth. For more information on dental fluorosis and the use of fluoridated drinking water in infant formula, go to

https://CDC.gov/fluoridation.

Contact Us

Milwaukee Water Works Customer Service Center Zeidler Municipal Building 841 N. Broadway, Room 406 Milwaukee, WI 53202 Open M-F, 7:30 a.m. to 5:00 p.m.

Phone: (414) 286-2830 TDD: (414) 286-8801 Fax: (414) 286-5452

24-hour Water Control Center: (414) 286-3710

For non-emergency contact: watwebcs@milwaukee.gov https://Milwaukee.gov/water

Para una explicación en Español, por favor llame al: (414) 286-2830.